

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently Amended) A compressor, comprising:

a piston mounted to reciprocate inside of a cylinder to draw a working fluid into a compression chamber within the cylinder, compress, and discharge the working fluid to an outside of the cylinder;

a connecting rod connected between a crank shaft and the piston that converts a rotating movement of the crank shaft into a reciprocating movement of the piston;

a piston pin attached to one end of the connecting rod, wherein a clearance is provided between an inside surface of the one end of the connecting rod and an outside surface of the piston pin; and

at least one oil passage configured to connect the clearance with a piston chamber, wherein the at least one oil passage is configured to allow lubricating oil to escape from the clearance into the piston chamber, and wherein the at least one oil passage is provided one of extending along in a first inside surface of the piston with which the one end of the connecting rod is in contact, extending along an outer surface of the one end of the connecting rod, or extending through the one end of the connecting rod.

2. (Currently Amended) The compressor as claimed in claim 1, wherein the at least one oil passage comprises a ~~hollow in a bottom end~~ groove provided extending along the inside surface of the piston.

3.-4. (Canceled)

5. (Currently Amended) The compressor as claimed in claim 1, wherein the at least one oil passage is provided ~~in~~ extending along a second inside surface of the piston opposite to the first inside surface.

6.-9. (Canceled)

10. (Previously Presented) The compressor as claimed in claim 1, wherein the at least one oil passage comprises a plurality of oil passages.

11.-12. (Canceled)

13. (Previously Presented) The compressor as claimed in claim 18, wherein the at least one oil passage comprises a hole that passes through the one end of the connecting rod.

14. (Previously Presented) The compressor as claimed in claim 13, wherein the at least one oil passage extends parallel to a central longitudinal axis of the connecting rod.

15. (Previously Presented) The compressor as claimed in claim 13, wherein the at least one oil passage extends at an angle to a central longitudinal axis of the connecting rod.

16. (Previously Presented) The compressor as claimed in claim 18, wherein the one end of the connecting rod comprises a piston pin attaching portion and wherein the at least one oil passage extends a length of the piston pin attaching portion.

17. (Previously Presented) The compressor as claimed in claim 18, wherein the one end of the connecting rod comprises a piston pin attaching portion and wherein the at least one oil passage extends from an inner surface of the one end adjacent a surface of the piston pin to an outer surface of the piston pin attaching portion opposite the piston pin.

18. (Currently Amended) The compressor as claimed in claim 1, ~~further comprising~~ wherein the at least one oil passage is provided in the one end of the connecting rod.

Serial No. **10/773,572**

Docket No. **K-0608**

Amdt. dated October 2, 2008

Reply to Office Action of June 2, 2008

19. (New) The compressor as claimed in claim 1, wherein the at least one oil passage comprises a groove extending along the outer surface of the one end of the connecting rod.